



**RANGSIT PROFESSIONAL
APPLIANCE SERVICE**



**PROFESSIONAL COMMERCIAL
KITCHEN EQUIPMENT**



- CONSULTANT
- PROJECT DESIGN
- MANUFACTURE
- INSTALLATION
- AFTER SALE SERVICE

**STAINLESS STEEL FABRICATION
KITCHEN EQUIPMENT
KITCHEN INFRASTRUCTURE
COLD ROOM
GAS SYSTEM
VENTILATION SYSTEM**

WHO WE ARE



Established since, 1996. **Rangsit Professional Appliance Service Co.,Ltd.** is a specialist in supplying the professional kitchen equipment and kitchen infrastructure, cold room, gas system, duct work and stainless steel fabrication to meet both domestic and international customers need. We provide a complete service to our client including design, manufacturer, delivery, installation and after sale services.

Many projects that we undertake service the domestic and international catering, industry with clients ranging from major in-flight kitchens, hotels, restaurants, quick service restaurant, canteen, food court, institutional kitchens, hospitals, the armed force, etc.

Our mission is to satisfy the requirement of clients by mean of new individual project begins with our carefully listening to customers. The catering solution we designed, manufactured, and installed will meet the maximum functionality and efficiency,

บริษัท รังสิตโปรเฟสชั่นแนล แอพไพร์แอนซ์ เซอร์วิส จำกัด เป็นผู้ผลิตและจัดจำหน่าย เครื่องครัวสแตนเลส ,ห้องเย็นพร้อมระบบทำความเย็น ระบบดูดควัน ระบบแก๊ส ด้วยประสบการณ์มากกว่า 20 ปี ประกอบกับความเชี่ยวชาญในการผลิตเครื่องครัวสแตนเลส พร้อมทั้งการพัฒนากระบวนการผลิตให้ทันสมัยอยู่เสมอ ควบคู่กับการพัฒนาฝีมือแรงงาน ทำให้ บริษัทรังสิตโปรเฟสชั่นแนล แอพไพร์แอนซ์ เซอร์วิส จำกัด ได้รับความไว้วางใจจากลูกค้าชั้นนำมากมาย โดยเน้นสร้างสรรค์ผลิตภัณฑ์ที่มีคุณภาพและได้มาตรฐานเพื่อประโยชน์สูงสุดของลูกค้าเป็นสำคัญ



OUR BUSSINESS PARTNER



Our Services

- ❖ CONSULTANT
- ❖ PROJECT DESIGN
- ❖ MANUFACTURE
- ❖ INSTALLATION
- ❖ AFTER SALE SERVICE
- ❖ ให้คำปรึกษา
- ❖ บริการด้านการออกแบบ
- ❖ เป็นผู้ผลิตเครื่องครัวสแตนเลส
- ❖ บริการงานติดตั้งเครื่องครัว
- ❖ การบริการหลังการขาย







- ❖ เครื่องครัวสแตนเลสตีล
- ❖ ห้องเย็นพร้อมระบบทำความเย็น
- ❖ ตู้แช่เย็น, ตู้แช่แข็ง
- ❖ ห้องแช่ไนท์
- ❖ บลาสซิลเลอร์, บลาสฟรีเซอร์
- ❖ ระบบแก๊ส สถานีถังแก๊ส
- ❖ ระบบดับเพลิงในห้องครัว
- ❖ ระบบท่อดูดควัน ระบบระบายอากาศ และปล่องดูดควัน

- ❖ STAINLESS STEEL FABRICATION
- ❖ COLD ROOM
- ❖ REFRIGERATOR
- ❖ WINE CELLAR ROOM
- ❖ BLAST CHILLER, BLAST FREEZER
- ❖ LPG SUPPLY SYSTEM, GAS STATION
- ❖ KITCHEN FIRE SUPPRESSION SYSTEM
- ❖ EXHAUST & FRESH AIR SYSTEM

PROJECT DESIGN

Better kitchens must have efficient workflow and qualified equipment so in every project we handle, we're meticulously design process to meet the needs of customers and also emphasize the **WELL FUNCTIONAL , WELL DESIGN, DURABLE AND HYGIENE.**

บริการ ออกแบบ จัดวางตำแหน่ง ครุภัณฑ์เครื่องครัว พร้อมแนะนำข้อมูล ให้คำปรึกษา ฟังก์ชันการทำงาน ภายในห้องครัว ได้อย่างลงตัว และเป็นระเบียบ เรียบร้อย สวยงาม ถูกต้องตามหลักอนามัยและ สุขาภิบาล



PROJECT REFERENCE



**STAINLESS
STEEL**
GRADE 304

MODERN STAINLESS STEEL HOME KITCHEN SOLUTION



คุณลักษณะของชุดครัวสแตนเลส

1. เน้นการออกแบบที่คำนึงถึงสุขลักษณะของผู้ใช้งาน ตัวตู้ด้านในเป็นการพับเข้ามามิดชิดจากทำให้ไม่มีซอกกักเก็บฝุ่นและเชื้อโรคต่างๆ ง่ายต่อการทำความสะอาด
2. ออกแบบให้มีจุดเชื่อมต่อที่น้อยที่สุด โดยใช้กาวชนิดพิเศษมาประกอบการผลิตชิ้นงาน ซึ่งยังคงไว้ซึ่งความแข็งแรงและความประณีต
3. การประกอบตัวตู้และพื้นบดเป็นแบบ Off-Set มิดชิดเสมอด้านตู้สวยงาม
4. ตัวบานประตูออกแบบเป็น Soft Close เปิด-ปิดนุ่มนวลและไม่มีนวล

Modern Home Use Kitchen :- Design A

- 304 Stainless Steel Kitchen with regard to the hygienic design.
- The inside of the cabinet. Fold the edges. Easy to clean. And not a niche. This is a collection of bacteria
- Designed to have the least. By folding the edges up. The cabinets are durable, strong
- Soft close Drawer is open and supple.



**304 FOOD GRADE STAINLESS STEEL
MODERN DESIGN
HYGIENIC**



STANDARD FEATURES:

- + TOP STAINLESS STEEL AISI 304 NO. 16 THICKNESS 1.5 MM.
- + BODY STAINLESS STEEL AISI 304 NO. 20 THICKNESS 0.9 MM.
- + BACK SPLASH STAINLESS STEEL AISI 304 NO. 16 THICKNESS 1.5 MM.

- + TUBULAR BRANCING Ø 1"
- + TUBULAR LEG Ø 1.5".

1 BURNER THAI RANGE



DIMENSION : (mm.)
700 X 750 X 750 + 250
800 X 750 X 750 + 250
900 X 750 X 750 + 250



DIMENSION : (mm.)
1000 X 750 X 750 + 250
1200 X 750 X 750 + 250
1500 X 750 X 750 + 250

1 BURNER CHINESE RANGE



DIMENSION : (mm.)
800 X 750 X 750 + 250
900 X 750 X 750 + 250
1000 X 750 X 750 + 250



DIMENSION : (mm.)
1300 X 750 X 750 + 250
1500 X 750 X 750 + 250
1600 X 750 X 750 + 250

2 BURNER THAI RANGE



DIMENSION : (mm.)
1100 X 750 X 750 + 250
1200 X 750 X 750 + 250
1500 X 750 X 750 + 250



DIMENSION : (mm.)
1300 X 750 X 750 + 250
1500 X 750 X 750 + 250
1700 X 750 X 750 + 250



DIMENSION : (mm.)
1300 X 750 X 750 + 250
1500 X 750 X 750 + 250
1700 X 750 X 750 + 250

2 BURNER CHINESE RANGE



DIMENSION : (mm.)
1400 X 750 X 750 + 250
1500 X 750 X 750 + 250
1700 X 750 X 750 + 250



DIMENSION : (mm.)
1600 X 750 X 750 + 250
1800 X 750 X 750 + 250
2000 X 750 X 750 + 250



DIMENSION : (mm.)
1600 X 750 X 750 + 250
1800 X 750 X 750 + 250
2000 X 750 X 750 + 250

3 BURNER THAI RANGE



DIMENSION : (mm.)
1800 X 750 X 750 + 250
2000 X 750 X 750 + 250
2200 X 750 X 750 + 250



DIMENSION : (mm.)
2100 X 750 X 750 + 250
2200 X 750 X 750 + 250
2300 X 750 X 750 + 250



DIMENSION : (mm.)
2100 X 750 X 750 + 250
2200 X 750 X 750 + 250
2300 X 750 X 750 + 250

3 BURNER CHINESE RANGE



DIMENSION : (mm.)
1900 X 750 X 750 + 250
2200 X 750 X 750 + 250
2300 X 750 X 750 + 250



DIMENSION : (mm.)
2100 X 750 X 750 + 250
2200 X 750 X 750 + 250
2400 X 750 X 750 + 250



DIMENSION : (mm.)
2100 X 750 X 750 + 250
2200 X 750 X 750 + 250
2400 X 750 X 750 + 250



STOCK POT STOVE



DIMENSION : (mm.)
700 X 750 X 550 + 450
750 X 750 X 550 + 450
800 X 750 X 550 + 450



DIMENSION : (mm.)
1000 X 750 X 550 + 450
1300 X 750 X 550 + 450
1500 X 750 X 550 + 450



DIMENSION : (mm.)
700 X 750 X 550 + 450
750 X 750 X 550 + 450
800 X 750 X 550 + 450



DIMENSION : (mm.)
1000 X 750 X 550 + 450
1300 X 750 X 550 + 450
1500 X 750 X 550 + 450

SOUP RANGE



DIMENSION : (mm.)
700 X 750 X 750 + 250
750 X 750 X 750 + 250
800 X 750 X 750 + 250




DIMENSION : (mm.)
700 X 750 X 750 + 250
750 X 750 X 750 + 250
800 X 750 X 750 + 250




GRIDDLE, GRILL & OTHERS



EXHAUST HOOD – WALL TYPE (FRESH AIR)




DIMENSION : (mm.)
1000 X 900 X 500
1200 X 900 X 500
1500 X 900 X 500



DIMENSION : (mm.)
2000 X 900 X 500
2500 X 900 X 500
3000 X 900 X 500



DIMENSION : (mm.)
2000 X 1100 X 500
2500 X 1100 X 500
3000 X 1100 X 500



DIMENSION : (mm.)
4000 X 900 X 500
4500 X 900 X 500
5000 X 900 X 500



DIMENSION : (mm.)
1000 X 900 X 500
1200 X 900 X 500
1500 X 900 X 500




DIMENSION : (mm.)
4000 X 900 X 500
4500 X 900 X 500
5000 X 900 X 500




DIMENSION : (mm.)
2000 X 900 X 500
2500 X 900 X 500
3000 X 900 X 500


ISLAND HOOD (FRESH AIR)




DIMENSION : (mm.)
1200 X 1800 X 500
1500 X 1800 X 500



DIMENSION : (mm.)
2000 X 1800 X 500
2500 X 1800 X 500



DIMENSION : (mm.)
2000 X 1800 X 500
2500 X 1800 X 500




DIMENSION : (mm.)
2000 X 2000 X 500
2500 X 2000 X 500


VENTILATION HOOD



DIMENSION : (mm.)
1000 X 1000 X 500
1500 X 1000 X 500




DIMENSION : (mm.)
1800 X 1000 X 500
2000 X 1000 X 500



DIMENSION : (mm.)
3500 X 1000 X 500
4000 X 1000 X 500

BAIN MARIE – COUNTER TYPE



DIMENSION : (mm.)
1500 X 750 X 450
2000 X 750 X 450
2300 X 750 X 450



DIMENSION : (mm.)
1500 X 750 X 450+350
2000 X 750 X 450+350
2300 X 750 X 450+350

BAIN MARIE – FLOOR TYPE



DIMENSION : (mm.)
1500 X 750 X 850
1800 X 750 X 850
2000 X 750 X 850
2300 X 750 X 850



DIMENSION : (mm.)
1900 X 750 X 850+ (150)
2000 X 750 X 850+ (150)
2100 X 750 X 850+ (150)
2300 X 750 X 850+ (150)



DIMENSION : (mm.)
1500 X 750 X 850+350
1800 X 750 X 850+350
2000 X 750 X 850+350
2300 X 750 X 850+350


PLATE WARMER




DIMENSION : (mm.)
1500 X 750 X 850
1800 X 750 X 850
2000 X 750 X 850
2300 X 750 X 850



DIMENSION : (mm.)
1500 X 750 X 850+150
1800 X 750 X 850+150
2000 X 750 X 850+150
2300 X 750 X 850+150



DIMENSION : (mm.)
1900 X 750 X 850
2000 X 750 X 850
2100 X 750 X 850
2300 X 750 X 850



DIMENSION : (mm.)
1900 X 750 X 850+ (150)
2000 X 750 X 850+ (150)
2100 X 750 X 850+ (150)
2300 X 750 X 850+ (150)

WORK TABLE



DIMENSION : (mm.)
500 X 750 X 850
600 X 750 X 850
700 X 750 X 850
800 X 750 X 850
900 X 750 X 850
1000 X 750 X 850



DIMENSION : (mm.)
1000 X 750 X 850
1100 X 750 X 850
1200 X 750 X 850
1300 X 750 X 850
1400 X 750 X 850
1500 X 750 X 850



DIMENSION : (mm.)
1600 X 750 X 850
1700 X 750 X 850
1800 X 750 X 850
1900 X 750 X 850
2000 X 750 X 850
2100 X 750 X 850



DIMENSION : (mm.)
500 X 750 X 850 + 150
600 X 750 X 850 + 150
700 X 750 X 850 + 150
800 X 750 X 850 + 150
900 X 750 X 850 + 150
1000 X 750 X 850 + 150



DIMENSION : (mm.)
1000 X 750 X 850 + 150
1100 X 750 X 850 + 150
1200 X 750 X 850 + 150
1300 X 750 X 850 + 150
1400 X 750 X 850 + 150
1500 X 750 X 850 + 150



DIMENSION : (mm.)
1600 X 750 X 850 + 150
1700 X 750 X 850 + 150
1800 X 750 X 850 + 150
1900 X 750 X 850 + 150
2000 X 750 X 850 + 150
2100 X 750 X 850 + 150

WORK TABLE W/ 1 UNDER SHELF



DIMENSION : (mm.)
500 X 750 X 850
600 X 750 X 850
700 X 750 X 850
800 X 750 X 850
1000 X 750 X 850



DIMENSION : (mm.)
1100 X 750 X 850
1200 X 750 X 850
1300 X 750 X 850
1400 X 750 X 850
1500 X 750 X 850



DIMENSION : (mm.)
1600 X 750 X 850
1700 X 750 X 850
1800 X 750 X 850
2000 X 750 X 850
2100 X 750 X 850



DIMENSION : (mm.)
500 X 750 X 850 + 150
600 X 750 X 850 + 150
700 X 750 X 850 + 150
800 X 750 X 850 + 150
1000 X 750 X 850 + 150



DIMENSION : (mm.)
1000 X 750 X 850 + 150
1100 X 750 X 850 + 150
1200 X 750 X 850 + 150
1300 X 750 X 850 + 150
1500 X 750 X 850 + 150



DIMENSION : (mm.)
1600 X 750 X 850 + 150
1700 X 750 X 850 + 150
1800 X 750 X 850 + 150
2000 X 750 X 850 + 150
2100 X 750 X 850 + 150

WORK TABLE W/DOUBLE UNDER SHELF



DIMENSION : (mm.)
500 X 750 X 850
600 X 750 X 850
700 X 750 X 850
800 X 750 X 850
1000 X 750 X 850



DIMENSION : (mm.)
1100 X 750 X 850
1200 X 750 X 850
1300 X 750 X 850
1400 X 750 X 850
1500 X 750 X 850




DIMENSION : (mm.)
1600 X 750 X 850
1700 X 750 X 850
1800 X 750 X 850
2000 X 750 X 850
2100 X 750 X 850



DIMENSION : (mm.)
500 X 750 X 850 + 150
600 X 750 X 850 + 150
700 X 750 X 850 + 150
800 X 750 X 850 + 150
1000 X 750 X 850 + 150



DIMENSION : (mm.)
1100 X 750 X 850 + 150
1200 X 750 X 850 + 150
1300 X 750 X 850 + 150
1400 X 750 X 850 + 150
1500 X 750 X 850 + 150



DIMENSION : (mm.)
1600 X 750 X 850 + 150
1700 X 750 X 850 + 150
1800 X 750 X 850 + 150
2000 X 750 X 850 + 150
2100 X 750 X 850 + 150

WORK TABLE W/ UNDER SHELF & DRAWERS



DIMENSION : (mm.)
700 X 750 X 850
1000 X 750 X 850
1200 X 750 X 850
1500 X 750 X 850



DIMENSION : (mm.)
1800 X 750 X 850
2000 X 750 X 850
2200 X 750 X 850
2300 X 750 X 850



DIMENSION :
700 X 750 X 850 + 150
1000 X 750 X 850 + 150
1200 X 750 X 850 + 150
1500 X 750 X 850 + 150




DIMENSION :
1800 X 750 X 850 + 150
2000 X 750 X 850 + 150
2200 X 750 X 850 + 150
2300 X 750 X 850 + 150

EQUIPMENT STAND



DIMENSION : (mm)
700 X 750 X 500 + 500
1000 X 750 X 500 + 500
1200 X 750 X 500 + 500
1500 X 750 X 500 + 500



DIMENSION : (mm)
1800 X 750 X 500 + 500
2000 X 750 X 500 + 500
2200 X 750 X 500 + 500
2300 X 750 X 500 + 500

CLEAN DISH TABLE



DIMENSION : (mm.)
600 X 750 X 850 + 150
800 X 750 X 850 + 150
900 X 750 X 850 + 150
1000 X 750 X 850 + 150



DIMENSION : (mm.)
1100 X 750 X 850 + 150
1200 X 750 X 850 + 150
1400 X 750 X 850 + 150
1500 X 750 X 850 + 150



DIMENSION : (mm.)
1600 X 750 X 850 + 150
1800 X 750 X 850 + 150
2000 X 750 X 850 + 150
2400 X 750 X 850 + 150

CLEAN DISH TABLE W/ UNDER SLATED SHELVES



DIMENSION : (mm.)
600 X 750 X 850 + 150
800 X 750 X 850 + 150
900 X 750 X 850 + 150
1000 X 750 X 850 + 150



DIMENSION : (mm.)
1100 X 750 X 850 + 150
1200 X 750 X 850 + 150
1400 X 750 X 850 + 150
1500 X 750 X 850 + 150



DIMENSION : (mm.)
1600 X 750 X 850 + 150
1800 X 750 X 850 + 150
2000 X 750 X 850 + 150
2400 X 750 X 850 + 150

SINK TABLE



DIMENSION : (mm.)
500 X 750 X 850 + 150
600 X 750 X 850 + 150
700 X 750 X 850 + 150
800 X 750 X 850 + 150




DIMENSION :
1000 X 750 X 850 + 150
1200 X 750 X 850 + 150
1500 X 750 X 850 + 150
1800 X 750 X 850 + 150

DOUBLE SINK TABLE




DIMENSION :
1000 X 750 X 850 + 150
1100 X 750 X 850 + 150
1300 X 750 X 850 + 150
1200 X 750 X 850 + 150




DIMENSION :
1400 X 750 X 850 + 150
1600 X 750 X 850 + 150
1800 X 750 X 850 + 150
2000 X 750 X 850 + 150

3 COMPARTMENT SINK TABLE



DIMENSION :
1600 X 750 X 850 + 150
1700 X 750 X 850 + 150
1800 X 750 X 850 + 150
2000 X 750 X 850 + 150




DIMENSION :
2200 X 750 X 850 + 150
2400 X 750 X 850 + 150
2600 X 750 X 850 + 150
2800 X 750 X 850 + 150

SOILED DISH TABLE



DIMENSION : (mm.)
1000 X 750 X 850 + 150
1200 X 750 X 850 + 150
1400 X 750 X 850 + 150
1500 X 750 X 850 + 150



DIMENSION : (mm.)
1800 X 750 X 850 + 150
2000 X 750 X 850 + 150
1200 X 750 X 850 + 150
2400 X 750 X 850 + 150

SOILED DISH TABLE L SHAPE



DIMENSION : (mm.)
1000 + 1200 X 750 X 850 + 150
1200 + 1500 X 750 X 850 + 150
1500 + 1800 X 750 X 850 + 150
1800 + 1800 X 750 X 850 + 150


OPEN CABINET, OPEN CABINET W / UNDER SHELF



DIMENSION : (mm.)
500 X 750 X 850
700 X 750 X 850
800 X 750 X 850
1000 X 750 X 850



DIMENSION : (mm.)
1100 X 750 X 850
1400 X 750 X 850
1500 X 750 X 850
1700 X 750 X 850




DIMENSION : (mm.)
1800 X 750 X 850
2000 X 750 X 850
2200 X 750 X 850
2300 X 750 X 850



DIMENSION : (mm.)
500 X 750 X 850 + 150
700 X 750 X 850 + 150
800 X 750 X 850 + 150
1000 X 750 X 850 + 150



DIMENSION : (mm.)
1100 X 750 X 850 + 150
1400 X 750 X 850 + 150
1500 X 750 X 850 + 150
1700 X 750 X 850 + 150



DIMENSION : (mm.)
1800 X 750 X 850 + 150
2000 X 750 X 850 + 150
2200 X 750 X 850 + 150
2300 X 750 X 850 + 150

CABINET W/SWING DOOR



DIMENSION : (mm.)
700 X 750 X 850
1000 X 750 X 850
1500 X 750 X 850
1800 X 750 X 850
2300 X 750 X 850



DIMENSION : (mm.)
700 X 750 X 850 + 150
900 X 750 X 850 + 150
1000 X 750 X 850 + 150
1200 X 750 X 850 + 150
1500 X 750 X 850 + 150



DIMENSION : (mm.)
1700 X 750 X 850 + 150
1800 X 750 X 850 + 150
2000 X 750 X 850 + 150
2200 X 750 X 850 + 150
2300 X 750 X 850 + 150

CABINET W/SLIDING DOOR



DIMENSION : (mm.)
700 X 750 X 850
1000 X 750 X 850
1500 X 750 X 850
1800 X 750 X 850
2300 X 750 X 850





DIMENSION : (mm.)
700 X 750 X 850 + 150
900 X 750 X 850 + 150
1000 X 750 X 850 + 150
1200 X 750 X 850 + 150
1500 X 750 X 850 + 150



DIMENSION : (mm.)
1700 X 750 X 850 + 150
1800 X 750 X 850 + 150
2000 X 750 X 850 + 150
2200 X 750 X 850 + 150
2300 X 750 X 850 + 150

OPEN WALL CABINET





DIMENSION : (mm.)
600 X 400 X 600
700 X 400 X 600
900 X 400 X 600

DIMENSION : (mm.)
1000 X 400 X 600
1200 X 400 X 600
1500 X 400 X 600

DIMENSION : (mm.)
1800 X 400 X 600
2000 X 400 X 600
2100 X 400 X 600

OPEN WALL CABINET W/ UNDER SHELF





DIMENSION : (mm.)
600 X 400 X 600
700 X 400 X 600
900 X 400 X 600

DIMENSION : (mm.)
1000 X 400 X 600
1200 X 400 X 600
1500 X 400 X 600

DIMENSION : (mm.)
1800 X 400 X 600
2000 X 400 X 600
2100 X 400 X 600

WALL CABINET W/ SLIDING DOOR



DIMENSION : (mm.)
600 X 400 X 600
700 X 400 X 600
900 X 400 X 600

DIMENSION : (mm.)
1000 X 400 X 600
1200 X 400 X 600
1500 X 400 X 600

DIMENSION : (mm.)
1800 X 400 X 600
2000 X 400 X 600
2100 X 400 X 600

WALL CABINET W/ SLIDING DOOR W/ UNDER SHELF




DIMENSION : (mm.)
600 X 400 X 600
700 X 400 X 600
900 X 400 X 600

DIMENSION : (mm.)
1000 X 400 X 600
1200 X 400 X 600
1500 X 400 X 600

DIMENSION : (mm.)
1800 X 400 X 600
2000 X 400 X 600
2100 X 400 X 600

WALL CABINET W/ SWING DOOR



DIMENSION : (mm.)
600 X 400 X 600
700 X 400 X 600
900 X 400 X 600

DIMENSION : (mm.)
1000 X 400 X 600
1200 X 400 X 600
1500 X 400 X 600

DIMENSION : (mm.)
1800 X 400 X 600
2000 X 400 X 600
2100 X 400 X 600

WALL CABINET W/ SWING DOOR W / UNDER SHELF



DIMENSION : (mm.)
600 X 400 X 600
700 X 400 X 600
900 X 400 X 600

DIMENSION : (mm.)
1000 X 400 X 600
1200 X 400 X 600
1500 X 400 X 600

DIMENSION : (mm.)
1800 X 400 X 600
2000 X 400 X 600
2100 X 400 X 600

WALL RACK SHELF



DIMENSION : (mm.)
700 X 400 X 150
1000 X 400 X 150
1200 X 400 X 150
1500 X 400 X 150

DIMENSION : (mm.)
1800 X 400 X 150
2000 X 400 X 150
2100 X 400 X 150
2300 X 400 X 150

DIMENSION : (mm.)
700 X 350 X 150
1000 X 350 X 150
1200 X 350 X 150
1500 X 350 X 150



DIMENSION : (mm.)
1800 X 350 X 150
2000 X 350 X 150
2100 X 350 X 150
2300 X 350 X 150



DIMENSION : (mm.)
700 X 350 X 150+150
1000 X 350 X 150+150
1200 X 350 X 150+150
1500 X 350 X 150+150



DIMENSION : (mm.)
1800 X 350 X 150+150
2000 X 350 X 150+150
2100 X 350 X 150+150
2300 X 350 X 150+150

OVER HI RACK SHELF



DIMENSION : (mm.)
700 X 550 X 500+350
1000 X 550 X 500+350
1200 X 550 X 500+350
1500 X 550 X 500+350

DIMENSION : (mm.)
1800 X 550 X 500+350
2000 X 550 X 500+350
2100 X 550 X 500+350
2300 X 550 X 500+350

OVER HI SHELF / DOUBLE OVER HI SHELVES



DIMENSION : (mm.)
1000 X 350 X 500
1200 X 350 X 500
1400 X 350 X 500
1500 X 350 X 500

DIMENSION : (mm.)
1800 X 350 X 500
2000 X 350 X 500
2100 X 350 X 500
2300 X 350 X 500




DIMENSION : (mm.)
1000 X 350 X 500+400
1200 X 350 X 500+400
1400 X 350 X 500+400
1500 X 350 X 500+400



DIMENSION : (mm.)
1800 X 350 X 500+400
2000 X 350 X 500+400
2100 X 350 X 500+400
2300 X 350 X 500+400

POT RAIL



DIMENSION :
700 X 100 X 100 mm.
1000 X 100 X 100 mm.
1500 X 100 X 100 mm.
1800 X 100 X 100 mm.
2000 X 100 X 100 mm.
2300 X 100 X 100 mm.

TRAY SLIDE



DIMENSION :
700 X 350 X 150 mm.
1000 X 350 X 150 mm.
1500 X 350 X 150 mm.
1800 X 350 X 150 mm.
2000 X 350 X 150 mm.
2300 X 350 X 150 mm.

ICE BIN CABINET



DIMENSION : (mm.)
500 X 750 X 850
900 X 750 X 850
1000 X 750 X 850

DIMENSION : (mm.)
500 X 750 X 850 + 150
900 X 750 X 850 + 150
1000 X 750 X 850 + 150

MOBILE ICE BIN



DIMENSION : (mm.)
700 X 750 X 750
900 X 750 X 750
1000 X 750 X 750

DIMENSION : (mm.)
700 X 750 X 750
900 X 750 X 750
1000 X 750 X 750

COCKTAIL UNIT



DIMENSION : (mm.)
800 X 750 X 850 + 150
900 X 750 X 850 + 150
1200 X 750 X 850 + 150

KITCHEN TROLLEY



DIMENSION : (mm.)
750 X 500 X 900
800 X 600 X 900

DIMENSION : (mm.)
700 X 700 X 750
800 X 700 X 750

KITCHEN TROLLEY W / SWING DOOR



DIMENSION : (mm.)
700 X 700 X 750
800 X 700 X 750

RACK TROLLEY



DIMENSION : (mm.)
530 X 530 X 900

MOBILE GARBAGE BIN



DIMENSION : (mm.)
DIA. 380 X 700

SUKI TROLLEY




DIMENSION : (mm.)
375 X 500 X 1500

MOBILE FLOUR BIN




DIMENSION : (mm.)
650 X 700 X 700
700 X 700 X 700
800 X 700 X 700

GREASE TRAP



DIMENSION : (mm.)
300 X 400 X 300
450 X 350 X 300
400 X 400 X 300

GN TROLLEY



DIMENSION : (mm.)
620 X 650 X 900
620 X 650 X 1500
620 X 650 X 1800

SOILED DISH CART



DIMENSION : (mm.)
600 X 800 X 900

DIMENSION : (mm.)
1000 X 800 X 850

UTILITY CART



DIMENSION : (mm.)
(320+750+320) X 600 X 1250

ROOM SERVICE CART



DIMENSION : (mm.)
1100 X 1100 X 800

LINEN TROLLEY



DIMENSION : (mm.) DIMENSION : (mm.)
600 X 800 X 850 700 X 800 X 850

4 TIERS SLATED SHELVES



DIMENSION : (mm.)
700 X 500 X 1500
800 X 500 X 1500
1000 X 500 X 1500
1200 X 500 X 1500
1500 X 500 X 1500

DIMENSION : (mm.)
1700 X 500 X 1500
1800 X 500 X 1500
2000 X 500 X 1500
2100 X 500 X 1500
2300 X 500 X 1500

4 TIERS PLAN SHELVES



DIMENSION : (mm.)
700 X 500 X 1500
800 X 500 X 1500
1000 X 500 X 1500
1200 X 500 X 1500
1500 X 500 X 1500

DIMENSION : (mm.)
1700 X 500 X 1500
1800 X 500 X 1500
2000 X 500 X 1500
2100 X 500 X 1500
2300 X 500 X 1500

BAKING TRAY TROLLEY



DIMENSION : (mm.)
495 X 650 X 900
495 X 650 X 1500
495 X 650 X 1800



Hygiene and ease of use are combined with minimalist design, economical and durability advantages. High precision laser cutting and 304 stainless steel grade.

We guaranty with a high quality of Spare part that imported from the European country.

GAS RANGE WITH BURNER



2 OPEN BURNER

MODEL G2B
SIZE 350x750x300 mm.
POWER 40,000 BTU/HR



4 OPEN BURNER

MODEL G4B
SIZE 700x750x300 mm.
POWER 80,000 BTU/HR



2 OPEN BURNER

MODEL G2B-US
SIZE 350x750x850 mm.
POWER 40,000 BTU/HR



4 OPEN BURNER

MODEL G4B-US
SIZE 700x750x850 mm.
POWER 80,000 BTU/HR



4 OPEN BURNER

MODEL G-4B-C
SIZE 700x750x850 mm.
POWER 80,000 BTU/HR

4 OPEN BURNER W/OVEN

MODEL G-4B-O
SIZE 700x750x850 mm.
POWER 110,000 BTU/HR

6 OPEN BURNER

MODEL G-6B-C
SIZE 1085x750x850 mm.
POWER 120,000 BTU/HR

6 OPEN BURNER W/OVEN

MODEL G-6B-O
SIZE 1085x750x850 mm.
POWER 150,000 BTU/HR

GAS FRYER



MODEL GF7
SIZE 340x750x300 mm.
POWER 30,000 BTU/HR



MODEL GF7+7
SIZE 700x750x300 mm.
POWER 60,000 BTU/HR



MODEL GF7F
SIZE 350x750x850 mm.
POWER 30,000 BTU/HR



MODEL GF7+7F
SIZE 700x750x850 mm.
POWER 60,000 BTU/HR

STANDARD FEATURES :

- + Full 304 grade stainless steel constructed body..
- + Gas burner with independent control knob.
- + Removable stainless steel grease drip tray and drain hold fixed on the top.
- + Stainless Steel hot plate 15 mm. thickness.
- + Oven made of stainless steel, with tubular burner in cast iron.
- + Thermostat temperature control with temperature range from 100°C to 340°C. (OVEN)
- + Strong open gas burner, cast iron gratings and burner
- + Open knobs with safety valve and thermocouples.
- + Piezo Ignitor system.
- + Chrome plated mesh basket.

GAS GRIDDLE

Worktop from AISI 304 stainless steel of 12mm. thickness



GRIDDLE / SMOOTH

MODEL GG700
SIZE 700x750x300 mm.
POWER 60,000 BTU/HR



GRIDDLE / RIBBED

MODEL GGR700
SIZE 700x750x300 mm.
POWER 60,000 BTU/HR



GRIDDLE/SMOOTH/SHELF

MODEL GG700-US
SIZE 700x750x850 mm.
POWER 60,000 BTU/HR



GRIDDLE/RIBBED/SHELF

MODEL GGR700-US
SIZE 700x750x850 mm.
POWER 60,000 BTU/HR



GRIDDLE HALF RIBBED

MODEL GGS+R
SIZE 700x750x300 mm.
POWER 60,000 BTU/HR



GRIDDLE HALF RIBBED

MODEL GGS+R-US
SIZE 700x750x850 mm.
POWER 60,000 BTU/HR



GRIDDLE/SMOOTH/CABINET

MODEL GG700-C
SIZE 700x750x850 mm.
POWER 60,000 BTU/HR



GRIDDLE HALF RIBBED/CABINET

MODEL GGS+R700-C
SIZE 700x750x850 mm.
POWER 60,000 BTU/HR

GAS CHAR BROILER



MODEL GCB
SIZE 700x750x300 mm.
POWER 60,000 BTU/HR



MODEL GCB-US
SIZE 700x750x850 mm.
POWER 60,000 BTU/HR



MODEL GCB-C
SIZE 700x750x850 mm.
POWER 60,000 BTU/HR

GAS CHAR COAL GRILL



MODEL GCG
SIZE 700x750x300 mm.
POWER 60,000 BTU/HR



MODEL GCG-US
SIZE 700x750x850 mm.
POWER 60,000 BTU/HR



MODEL GCG-C
SIZE 700x750x850 mm.
POWER 60,000 BTU/HR

GAS HOT TOP RANGE

Two heavy duty Stainless Steel AISI 304 Thk.12mm. tops and with a movable central ring



MODEL G-HT
SIZE 700x750x300 mm.
POWER 40,000 BTU/HR



MODEL GHT-US
SIZE 700x750x850 mm.
POWER 40,000 BTU/HR



MODEL GHT-D
SIZE 700x750x850 mm.
POWER 40,000 BTU/HR



MODEL G-HT-O
SIZE 700x750x850 mm.
POWER 70,000 BTU/HR

GAS GRIDDLE/CHAR COAL GRILL

GAS SALAMANDER



MODEL G-CG-G
SIZE 700x750x850 mm.
POWER 60,000 BTU/HR



MODEL G-CG-G-D
SIZE 700x750x850 mm.
POWER 60,000 BTU/HR



MODEL G-CG-G-US
SIZE 1085x750x850 mm.
POWER 90,000 BTU/HR



MODEL GSA
SIZE 650X450X500 mm.
POWER 35,000 BTU/HR

OTHERS RANGE



2 OPEN BURNER W/ GRIDDLE

MODEL G-2BGG-C
SIZE 700x750x850 mm.
POWER 70,000 BTU/HR



4 OPEN BURNER W/ GRIDDLE

MODEL G-4BGG-C
SIZE 1085x750x850 mm.
POWER 110,000 BTU/HR



PASTA BOILER

MODEL G-PT-700C
SIZE 700x750x850 mm.
POWER 60,000 BTU/HR



PASTA BOILER

MODEL G-PT-350C
SIZE 350x750x850 mm.
POWER 30,000 BTU/HR



NOODLE BOILER

MODEL NBD-700
SIZE 700x750x700+300 mm.
POWER 50,000 BTU/HR



BAINMARIE

MODEL G-BA-700
SIZE 700x750x850 mm.
POWER 40,000 BTU/HR



BOILING PAN 50 LITERS

MODEL GB-50
SIZE 700x750x850 mm.
POWER 60,000 BTU/HR




NEUTRAL CUPBOARD

MODEL NEU-1000
SIZE 1000x750x850 mm.
POWER




บริการ ออกแบบระบบท่อแก๊ส ติดตั้งสถานีถังแก๊ส เดินท่อสตรัม ท่อทองแดง ท่อสแตนเลส
LPG Supply System พร้อมติดตั้งมิเตอร์แก๊ส ระบบเตือนภัย และระบบตัดแก๊ส อัตโนมัติ ในกรณีแก๊สรั่ว Automatic Gas
Detector Shut off พร้อมระบบติดตั้งเตือนภัยและตัดแก๊สอัตโนมัติเมื่อมีแก๊สรั่ว
Providing gas system with automatic gas detector shut off valve.



DUCT WORK SYSTEM & BLOWER /EXHAUST & FRESH AIR SYSTEM/ งานระบบดูดควัน และ ระบบเติมอากาศ




บริการ ออกแบบ ติดตั้ง ระบบระบายอากาศ ระบบท่อดูดควัน และปล่องดูดควัน
Providing industrial duct design, with ductwork systems built to suit your specific application.



บริการ ออกแบบ และติดตั้งห้องเย็น, ห้องเย็นเก็บรักษาสินค้า, ห้องเย็นเก็บอาหาร, ห้องเย็นเก็บผัก และผลไม้พร้อมติดตั้งระบบทำความเย็น เหมาะสำหรับอุตสาหกรรมอาหาร ห้างสรรพสินค้า โรงแรม ภัตตาคาร และกิจการทั่วไปที่ต้องการเก็บรักษาอุณหภูมิของผลิตภัณฑ์ แผ่นฉนวนผลิตจากเครื่องจักรที่ทันสมัย ควบคุมคุณภาพทุกขั้นตอน สามารถผลิตได้ทุกขนาดตามความต้องการและพื้นที่การใช้งาน มีปลอดภัยสูงเนื่องจากใช้ฉนวนชนิดไม่ลามไฟ สวยงาม ถูกสุขอนามัย และแข็งแรง ทนทานตลอดอายุการใช้งาน สามารถเลือกวัสดุผิวได้หลายอย่าง อาทิเช่น เหล็กเคลือบสี เหล็กสแตนเลส อลูมิเนียม ฯลฯ นอกจากนี้แล้ว บริการงานติดตั้งระบบทำความเย็น โดยคำนวณ CDU และ EVA ให้เหมาะสมกับการใช้งาน รับประกันสินค้า 1 ปี เต็ม พร้อมให้บริการหลังการขาย



Abbreviations PU	
Foam density	35-50 kg / m3
Thermal conductivity	aged < 0.022 w / mk
Closed cell content	> 95%
Compressive Strength	1.5-2.2 kg / cm2
Tensile strength	2.8 kg / cm2
Flammability	Self extinguishing B 2



คุณลักษณะของแผ่นฉนวน

- ◆ ไม่ลามไฟ
- ◆ ขึ้นรูปได้หลากหลาย
- ◆ อายุการใช้งานยาวนาน
- ◆ ไม่มีสาร CFC
- ◆ ป้องกันความร้อน- ความเย็น
- ◆ ดูดซับเสียงป้องกันเสียงรบกวน
- ◆ ควบคุมการกลั่นตัวเป็นหยดน้ำ
- ◆ น้ำหนักเบาแข็งแรง



FOOD PREPARATION



FOOD WARMER & FOOD HOLDING



BEVERAGE



COOKER



ICE MACHINE



Hot & Cold Drink Tower



WAREWASHING



BAKERY





LEADING MANUFACTURER OF CUSTOMIZED STAINLESS STEEL

• CONSULTANT • PROJECT DESIGN • MANUFACTURE • INSTALLATION • AFTER SALE SERVICE



- เครื่องครัวสแตนเลสตีล
- ห้องเย็นพร้อมระบบทำความเย็น
- ระบบดูดควันและระบบเติมอากาศ
- ระบบแก๊ส ท่อแก๊ส สถานีแก๊ส
- ระบบประปา และ น้ำทิ้งในห้องครัว

บจก. รังสิตโปรเฟสชันแนลแอพพรแอนซ์เซอร์วิส
RANGSIT PROFESSIONAL APPLIANCE SERVICE CO.,LTD.

Head Office : 53, 55 Soi Rangsit-Nakornnayok 27 Soi 1
Prachathipat Thanyaburi Pathumthani 12130 Thailand

Factory : 140 Soi Rangsit-Nakornnayok 27 Soi 2
Prachathipat Thanyaburi Pathumthani 12130 Thailand

Tel : 02 996 2571-3 Ext. 108-109 Fax : 02 996 2578
E-mail : pas.rangsit@hotmail.com



www.rangsitprofessional.co.th